## Site checklist for use of H+H Calculated Ψ-values EW235

EW235: Brick + 150mm Cavity fully filled with insulation (0.032W/mK) + 100mm Celcon High or Super Strength Completed form to be returned to project SAP Assessor



Site details:					
External wall				Yes	No
Are the inner leaves built using 100mm Celcon Higher Strength blocks?					
Are the 150mm cavities insulated with 150mm (0.032W/mK) full fill insulation?  Are the internal finishes plasterboard on dabs?					
Note: H+H Calculated Ψ-values EW235 are only applicable if 'Yes' is answered to all	of the above				1
Ground Floor			Select one option		
Floor insulation thickness (0.022W/mK conductivity)	Г	100mm	125mm	150mm	Other (state)
Ensure floor insulation is fitted tightly to blockwork with no gaps	L				1
Floor construction				5	Select one option
Cavity wall insulation continues at least 215mm below top of beam Minimum 65mm screed with 20mm of edge insulation with conductivity of 0.025W/mK (or equiv			ind Celcon I	block infill	
Cavity wall insulation continues at least 215mm below underside of slab  150mm Cast in-situ suspended co					
Cavity wall insulation continues at least 215mm below underside of slab  100mm Groundbearing co				crete slab Other	
				Yes	No
Have Celcon Foundation blocks have been used below ground					
Note: H+H Calculated Ψ-values EW235-GF00, 01 and 02 are only applicable if Celcon Foundat	ion blocks have been	used,			
<u>Openings</u>				Yes	No
Do window/door frames overlap cavity by 30mm minimum?					
Cavity closers used			Eurocell Cavalok (fully insulated)	Kingspan Thermabate	Other
Note: H+H Calculated $\Psi$ -values EW235-SL00, RV00 and LN00 are only applicable for these na	med closers		,		
Lintels used (Select one option)					
Catnic Thermally Broken Lintel	Ind	ependent i	nner and ou	ıter lintels	
Keystone / IG Hi-therm+ Lintel Insulated open back lintel (max					
Insulated lintel (max 3mm steel) with continuous perforated b					
Note: H+H Calculated Ψ-values EW235- LN00 are not applicable for Other lintel types				Other	<u> </u>
Party walls (leave blank if not applicable)  Select one op	otion			5	Select one option
2 x 100mm Celcon Standard 75mm Fully				•	
2 x 100mm Celcon High/Super Strength 100mm Fully 2 x 100mm Aggregate Concrete 150mm Fully				-	
Salar				ne option	
Roof			400mm	500mm	Other (state)
Insulation quilt to horizontal ceilings Cavity wall insulation continues at least 200mm above top of roof insulation			150mm between	100mm between	150mm between
Insulation to sloping ceilings (leave blank if not applicable) minimum 50mm	(0.022W/mK) bene	eath rafters +	10.04477/1110	(O.OZZYV/IIIK/	(0.02247/1110)
Intermediate floors		195mm	Select one option 240mm	<sup>n</sup> 300mm	Other (state)
Timber joists (leave blank if not applicable)	[		_ 10111111	330111111	Janon (State)
			150mm	225mm	Other (state
Concrete planks (leave blank if not applicable)					
Checklist completed by					
(print name) (iob title)	(company nam	e)		(date)	